



Moisturizing Face Mask (O/W)

Hygroplex™ HHG

FORMULA No. 244.12.0085

Phase	Trade Name	INCI Name	w/w %	Supplier
A	Water	Water	ad 100	
	Polyglycol 400	PEG-8	3.0	Clariant
	Hygroplex™ HHG	Hexylene Glycol, Fructose, Glucose, Sucrose, Urea, Dextrin, Alanine, Glutamic Acid, Aspartic Acid, Hexyl Nicotinate	10.0	CLR
B	Myritol 318	Caprylic/ Capric Triglyceride	5.0	BASF
	Cetiol V	Decyl Oleate	3.5	BASF
	Cetiol SN	Cetearyl Isononanoate	2.0	BASF
	Eutanol G16	Hexyldecyl Stearate	2.0	BASF
	Tego Care PS	Cetearyl Glucoside	3.5	Evonik
	Lanette O	Cetearyl Alcohol	3.0	BASF
	Cutina HVG	Hydrogenated Vegetable Oils	2.0	BASF
	Softisan 100	Hydrogenated Coco-Glycerides	3.0	Sasol
	Abil 350	Dimethicone	1.0	Evonik
C	Preservative*		q.s.	
D	Cosmospheres BCG-L	Polyethylene Terephthalate, Lactose, Microcrystalline Cellulose, Ultramarines, Acrylates Copolymer	1.0	Pelletech

Manufacture

Heat up A to approx. 80°C. Melt B and bring to approx. 80°C and add it to A. Homogenize at 70°C and at 50°C for 3 minutes. Add Part at 30°C under stirring. Then stir the beads into the emulsion carefully.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.

*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.